Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L27	47	123 and resistor.clm. and (parallel or series)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:51
L28	26	l23 and resistor.clm. and (parallel or series).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:51
L29	24	I23 and resistor.clm. and (parallel).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:51
L30	21	l23 and resistor.clm. and (parallel).clm. and (conducting or conductive or metal or metallic). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:52
L31	16	I23 and resistor.clm. and (parallel).clm. and (conducting or conductive or metal or metallic). clm. and (insulating or insulative or insulator or dielectric).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:52
L32	10	I23 and resistor.clm. same (parallel).clm. and (conducting or conductive or metal or metallic). clm. and (insulating or insulative or insulator or dielectric).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:52
L33	9	I23 and resistor.clm. same (parallel).clm. same (conducting or conductive or metal or metallic).clm. and (insulating or insulative or insulator or dielectric).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:52
L34	3	I23 and resistor.clm. same (parallel).clm. same (conducting or conductive or metal or metallic).clm. same (insulating or insulative or insulator or dielectric).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:52
L35		resistor.clm. same (parallel).clm. same (conducting or conductive or metal or metallic).clm. same (insulating or insulative or insulator or dielectric).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	**************************************		2005/06/13 00:53

L36	7	resistor.clm. same (parallel).clm. same (conducting or conductive or metal or metallic).clm. same (insulating or insulative or insulator or dielectric).clm. and (rf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:59
}		or (radio adj frequency))				

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	125	(trough near orientation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:35
L2	26	(trough adj orientation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:35
L3	3	(trough adj orientation).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:36
L4	26	(trough adj orientation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:39
<b>L</b> 5	387	(trough adj (configuration or orientation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:39
L6	5	(trough adj (configuration or orientation)) and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:40
L7	365	("trough configuration")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:40
L8	51	("trough configuration").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:43